

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions of claims in the application.

1. (Currently amended): A resin sheet for use in any one of a substrate for a display device and a substrate for a solar cell, said resin sheet comprising a cured resin layer containing in a resin a glass fiber cloth-like material and inorganic particles having a mean particle diameter of 100 nm or smaller, wherein the inorganic particles are contained in a range of $[[15]]$ 25 to 60 wt.%, and said resin sheet being structured to have a haze value of 10% or lower.

2. (Original): A resin sheet according to claim 1, wherein a refractive index difference between a resin that forms the cured resin layer, and the glass fiber cloth-like material is 0.01 or less.

3. (Cancelled).

4. (Previously presented): A resin sheet according to claim 1, wherein the inorganic particles are silica particles.

5. (Previously presented): A resin sheet according to claim 1, wherein the resin that forms the cured resin layer is an epoxy resin.

6. (Previously presented): A resin sheet according to claim 1, whose coefficient of linear expansion is equal to or less than $5.0 \times 10^{-5}/^{\circ}\text{C}$ at 25 to 160°C.

7. (Previously presented): A resin sheet according to claim 1, whose light transmittance is 88% or more.

8. (Previously presented): A resin sheet according claim 1, wherein a gas barrier layer is further laminated.

9. (Previously presented): A resin sheet according to claim 1, wherein a hard-coat layer is further laminated.

10. (Previously presented): A liquid crystal cell substrate, characterized in that it comprises the resin sheet of claim 1.

11. (Original): A liquid crystal display device, characterized in that it comprises the liquid crystal cell substrate of claim 10.

12. (Previously presented): A substrate for an electroluminescence display device, characterized in that it comprises the resin sheet of claim 1.

13. (Original): An electroluminescence display device, characterized in that it comprises the substrate for an electroluminescence display device of claim 12.

14. (Previously presented): A substrate for a solar cell, characterized in that it comprises the resin sheet of claim 1.

15. (Previously presented): A resin sheet according to claim 1, wherein the mean particle diameter of the inorganic particles is 70 nm or smaller.

16. (Previously presented): A resin sheet according to claim 1, wherein the inorganic particles are inorganic oxides.

17. (New): A resin sheet according to claim 1, wherein the inorganic particles are contained in a range of 25 to 50 wt. %.